

# Headend Racks & Accessories

## MPC-12

### 12-Slot Universal Mini-Mod Chassis & Power Supply

## MPC-PSF12/16

### Universal Power Supply Module

#### Features

- High capacity fully regulated power supply provides the most efficient performance, ensuring reliability over a wide range of environmental conditions
- High efficiency power supply (over 70%) equipped with cooling fan minimizes power consumption and heat dissipation
- Current overload protection prevents damage to system and prolongs power supply life
- Internal fusing circuitry provides current overload protection and precise voltage regulation, preventing component damage



## MPC-BP


### Universal-Chassis Blank Plate

#### Features

- Blocks escape of cool air when used with forced air ventilation systems
- Provides uniform look when not all module slots are filled
- Slides easily into ATX's mini-chassis systems and those of other manufacturers



Also Available:  
MPC-12C  
(Chassis Only)



## Specifications

<b>MODULE CAPACITY</b>	12
<b>INPUT VOLTAGE RANGE</b>	100-240 VAC
<b>INPUT VOLTAGE FREQUENCY</b>	50/60 Hz
<b>POWER REQUIRED</b>	68W Each
<b>OUTPUT VOLTAGE (V1) @ 4A</b>	5 VDC
<b>OUTPUT VOLTAGE (V2) @ 4A</b>	12 VDC
<b>EFFICIENCY</b>	70%
<b>LINE LOAD REGULATION</b>	±1%
<b>MINIMUM LOAD</b>	10%
<b>VIDEO INPUT CONNECTOR</b>	75 Ω F-Female
<b>AUDIO INPUT CONNECTOR</b>	5K Ω F-Female Unbalance
<b>RF OUTPUT CONNECTOR</b>	75 Ω F-Female
<b>UR LISTED POWER SUPPLY</b>	Yes
<b>OPERATING TEMPERATURE</b>	+10°C to +50°C (+50°F to +122°F)
<b>DIMENSIONS</b>	
<b>MPC-12/12C</b>	3.5"H x 19.0"W x 7.5"D (8.89H x 48.26W x 19.1D cm)
<b>MPC-BP</b>	3.4"H x 1.0"W x 4.0"D (8.64H x 2.54W x 10.16D cm)
<b>WEIGHT</b>	
<b>MPC12</b>	7.8 lbs (3.54 kg)
<b>MPC-BP</b>	0.4 lbs (0.18 kg)

## Ordering Information

Part Number	Description
<b>MPC-12</b>	12-slot Universal Mini-Mod Chassis and Power Supply
<b>MPC-12C</b>	12-slot Universal Mini-Mod Chassis Only
<b>MPC-PSF12/16</b>	Universal Power Supply
<b>MPC-BP</b>	Universal-Chassis Blank Plate

Products or features contained herein may be covered by one or more U.S. or foreign patents. Other non-ATX product and company names mentioned in this data sheet are the property of their respective companies.

© 2018 ATX Networks  
 Printed in Canada  
 Information in this document is subject to change without notice.  
 Rev. 07/18 (ANW1297)



**ATX Networks**

1-501 Clements Road West, Ajax, ON L1S 7H4 Canada  
 Tel: 905.428.6068 | Toll Free: 800.565.7488 | support@atxnetworks.com